| I want to be able to: | |
|-----------------------|--|
| | |





| Doctor's name: | | Signature: | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Doctor's phone #: | | e e | |
| Controller medicines | How much to take | How often | Other instructions |
| | | times per day | ☐ Gargle or rinse mouth after use |
| | | times per day | |
| | | times per day | |
| Quick-relief medicines | How much to take | How often | Other instructions |
| | □ 2 puffs □ 4-6 puffs □ 1 nebulizer treatment | Take ONLY as needed (see below — starting in Yellow Zone or before excercise) | NOTE: If you need this medicin more than 2 days a week, call your doctor. |
| Asthma triggers (check all that □ Exercise □ Change in to □ Pollens □ Respiratory | emperature 🖵 Molds | ☐ Animals ☐ Strong☐ Strong emotions | odors or fumes 🚨 Smoke 🚨 Food/Other |
| Special ins | tructions when I am | Doing well Be ca | reful Ask for help |
| Doing well. No coughing, wheezing, of tightness, shortness of broaduring the day or night Can go to school and play Be careful. Coughing, wheezing, che tightness, shortness of broaduring the day or night Can go to school and play Be careful. Coughing, wheezing, che tightness, shortness of broaduring at night due to asthma symptoms Can do some, but not all, usual activities Runny nose, watery eyes | eath / | Take my col Before exel Avoid trigg (See above CAUTION. Cont Take quick relief within one b Continue us needed. Ca Increase | introller medicines (above) every day rcise, take puff(s) of ers that make my asthma worse inue taking my controller medicines every day. puffs or nebulizer treatment(s) of medicine. If I am not back in the Green Zon nour, then I should: sing quick relief medicine every 4 hours as Ill provider if not improving in days |
| Ask for help. • Very short of breath • Continual coughing • Skin between ribs is pulling inwards • Difficulty speaking without running out of breath • Quick-relief medicines have not helped • Symptoms same or worse after 48 hours in Yellow Zone | | MEDICAL ALERT! Get help! Take quick-relief medicine: puffs every minutes and get help immediately. Take Call | |

Call 911 for help or go to the nearest Emergency Department